The following listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1. - 10. (Cancelled)

11. (Previously Presented): A compound of formula I

wherein

Y₁ means a hydrogen atom, a hydroxyl group, an alkanoyloxy group with 1 to 12 C atoms or an aroyloxy group,

 Y_2 means a hydrogen atom or an alkanoyl group with 1 to 12 C atoms or an aroyl group,

R₁ and R₂ each mean a hydrogen atom or together an exocyclic methylene group,

R₃ and R₄, independently of one another, mean a hydrogen atom, a chlorine or fluorine atom, an alkyl group with 1 to 4 carbon atoms, or together form a methylene group, or together with quaternary carbon atom 20 form a 3- to 7-membered, saturated or unsaturated carbocyclic ring,

Q means a straight-chain or branched carbon unit with up to 10 carbon atoms, which at any position can have hydroxyl groups, in α - or β -position, which in turn can be etherified or esterified, keto groups, amino groups or halogen atoms,

R₅ and R₆ together with carbon atom 25 mean a 3- to 7-membered, saturated or unsaturated carbocyclic ring,

Z means a five- or six-membered carbocyclic ring which can be saturated, unsaturated or aromatic, and which can be substituted by one or more alkyl chains, which can be straight-

chain or branched, saturated or unsaturated, and optionally interrupted by oxa, thia, aza, sulfoxide or sulfo groups or substituted by hydroxy groups or halogen atoms, wherein if Z is phenyl, R_5 and R_6 together with carbon atom 25 form a cyclopropyl, cycloputyl, cyclopentyl or cyclohexyl ring.

- 12. (Previously Presented): A compound according to claim 11, wherein R₅ and R₆ together with carbon atom C-25 means a cyclopropyl ring.
- 13. (Previously Presented): A compound according to claim 11, wherein Q is hydroxymethyl or carbonylmethyl group.
- 14. (Previously Presented): A compound according to claim 11, wherein the compound antagonizes the action of calcitriol in HL 60 cells.
- 15. (Previously Presented): A compound according to claim 11, wherein Y_1 is acetyloxy, propionyloxy, butyryloxy or benzoyloxy.
- 16. (Previously Presented): A compound according to claim 11, wherein Y_2 is acetyl, propionyl, butyryl or benzoyl.
- 17. (Previously Presented): A compound according to claim 11, wherein R₃ is H and R₄ is methyl.
- 18. (Previously Presented): A compound according to claim 11, wherein R_3 is methyl and R_4 is H.
- 19. (Previously Presented): A compound according to claim 11, wherein R₃ is F and R₄ is methyl.
- 20. (Previously Presented): A compound according to claim 11, wherein R_3 is methyl and R_4 is F.

21.	(Previously Presented): A compound according to claim 11, wherein R ₃ and	
R ₄ together form a methylene group or together with tertiary carbon atom 20 form a		
cyclopropyl g	roup.	

- 22. (Previously Presented): A compound according to claim 11, wherein Q is an unsubstituted, unbranched alkylene having 1-3 carbon atoms.
- 23. (Previously Presented): A compound according to claim 11, wherein Q is hydroxymethylene in which the hydroxy group is in the α or β position.
- 24. (Previously Presented): A compound according to claim 11, wherein Q is CH(OH)- CH_2 or -CH(OH)- CH_2 in which, in each case, the hydroxy group is in the α or β position.
- 25. (Previously Presented): A compound according to claim 11, wherein R₅ and R₆ together with carbon atom C-25 form a cyclopropyl, cyclobutyl, cyclopentyl, or cyclohexyl group.
- 26. (Previously Presented): A composition comprising at least one compound according to claim 11 and a pharmaceutically compatible vehicle.

27.	(Cancelled):
28.	(Cancelled):
29.	(Cancelled):
30.	(Cancelled
31.	(Cancelled):
32.	(Cancelled):

33. (Previously Presented): A process for the production of a compound according to claim 11, said process comprising:

providing a compound of general formula II

$$R_3$$
 R_4
 R_5
 R_6
 R_5
 R_6
 R_1
 R_2
 R_1
 R_1

wherein

Y'₁ means a hydrogen atom or a protected hydroxy group and

Y'₂ means a hydroxy protective group,

R₁ and R₂ each mean a hydrogen atom or together an exocyclic methylene group,

R₃ and R₄, independently of one another, mean a hydrogen atom, a chlorine or fluorine atom, an alkyl group with 1 to 4 carbon atoms, or together form a methylene group, or together with quaternary carbon atom 20 form a 3- to 7-membered, saturated or unsaturated carbocyclic ring,

Q means a straight-chain or branched carbon unit with up to 10 carbon atoms, which at any position can have hydroxyl groups, in α - or β -position, which in turn can be etherified or esterified, keto groups, amino groups or halogen atoms,

 $R_{\rm 5}$ and $R_{\rm 6}$ together with carbon atom 25 mean a 3- to 7-membered, saturated or unsaturated carbocyclic ring, and

Z' means a five- or six-membered carbocyclic ring which can be saturated, unsaturated or aromatic, and which can be substituted by one or more alkyl chains, which can be straight-chain or branched, saturated or unsaturated, and optionally interrupted by oxa, thia, aza, sulfoxide or sulfo groups or substituted by hydroxy groups or halogen atoms,

wherein if Z' is phenyl, R₅ and R₆ together with carbon atom 25 form a cyclopropyl, cyclobutyl, cyclopentyl or cyclohexyl ring; and

reacting the compound by simultaneous or successive cleavage of the hydroxy protective groups and optionally by partial or complete esterification(s) or etherification(s) of free hydroxy groups.

34. (Previously Presented): A compound selected from:

(5Z,7E,22E)-(1S,3R,24R)-25-phenyl-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-phenyl-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(4-methylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(4-methylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(4-ethylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(4-ethylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(4-propylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(4-propylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(4-butylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(4-butylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(4-pentylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(4-pentylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

```
(5Z,7E,22E)-(1S,3R,24R)-25-(3-methylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
```

. . • •

(5Z,7E,22E)-(1S,3R,24S)-25-(3-methylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(3-ethylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(3-ethylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(3-propylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(3-propylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(3-butylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(3-butylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(3-pentylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(3-pentylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-[4-(1-methylethyl)phenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol

(5Z,7E,22E)-(1S,3R,24S)-25-[4-(1-methylethyl)phenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-[3-(1-methylethyl)phenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,and

(5Z,7E,22E)-(1S,3R,24S)-25-[3-(1-methylethyl)phenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol.

- 35. (Cancelled):
- 36. (Cancelled):
- 37. (Cancelled):
- 38. (Cancelled):
- 39. (Cancelled):
- 40. (Cancelled):
- 41. (Cancelled):
- 42. (Cancelled):